

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(713/169.ccls. 713/171.ccls.) and @ad<"20010730" and @pd>"20060627"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 15:16
L2	63	(713/169.ccls. 713/171.ccls.) and @ad<"20010730" and @pd>"20050627"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 15:16
S1	226	713/169.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 07:55
S2	168	S1 and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 08:00
S3	2	S2 and nonce and session adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 08:23
S4	12	S2 and nonce and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 08:53
S5	226	713/169.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 08:53
S6	168	S5 and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 08:53

EAST Search History

S7	12	S6 and nonce and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 08:53
S8	216	nonce and key and @ad<"20010730" not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 08:53
S9	0	"5241599".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 11:12
S10	2	"5241599".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 11:17
S11	1	"5729608".pn. and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 11:58
S12	347	713/171.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:25
S13	226	713/169.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:26
S14	168	S13 and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:26

EAST Search History

S15	12	S14 and nonce and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:26
S16	216	nonce and key and @ad<"20010730" not S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:26
S17	251	S12 not S16 and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:26
S18	4	S17 and nonce	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:26
S19	1	"6263437".pn. and nonce	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:35
S20	2	"5953424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:44
S21	0	S20 and nonce	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:44
S22	2	"5987131".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:50

EAST Search History

S23	2	"5937422".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:51
S24	2	"5896455".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:53
S25	2	"5835726".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:54
S26	2	"5822434".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:55
S27	2	"5796833".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:57
S28	2	"5793866".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:57
S29	2	"5696880".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 14:01
S30	2	"5515441".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 14:06

EAST Search History

S31	2	"5241599".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 14:14
S33	697	S32 and session adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 14:20
S34	685	S33 and (random or time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 14:21
S35	400	S33 and (random adj number or time adj stamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 14:21
S36	297	jalbert.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:52
S37	0	S36 and christopher.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:52
S38	0	S36 and chris.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:52
S39	26	wallace.in. and leland.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:53

EAST Search History

S40	2	S20 and computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:13
S41	1	S40 and (internet or ethernet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:13
S42	2	"5666415".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 18:38
S43	2	"5953424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 18:38
S44	0	S43 and superencrypt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 18:40
S45	1	S43 and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 18:40
S46	2	"5666415".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:06
S47	0	S46 and processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:06

EAST Search History

S48	2	S46 and computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:06
S50	6	session near key\$2 same (hash\$3 or digest) with public near key\$2 with (password or secret) and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/26 14:06
S51	37	session near key\$2 same (hash\$3 or digest) with public near key\$2 and @ad<"20010730" not S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/26 14:24
S52	21	session near key\$2 with (hash\$3 or digest) with public near key\$2 and @ad<"20010730" not S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/26 14:24
S53	25	session near key\$2 with (hash\$3 or digest) with public near key\$2 and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/26 15:18
S54	4	encrypt\$3 with twice with "same" near key and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/26 15:30
S55	6	encrypt\$3 with two near session near key\$2 and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/26 15:30
S56	30	(713/169.ccls. 713/171.ccls.) and @ad<"20010730" and @pd>"20050103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 15:16

EAST Search History

S57	12	"5673322".pn. "5742845".pn. "5966441".pn. "20020002678".pn. "5754659".pn. "5953420".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/22 13:55
S58	54	nonce\$2 with (compar\$3 or modification or modif\$3) and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/22 14:04
S59	39	nonce\$2 with (compar\$3 or modification or modif\$3) and public and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/22 14:05
S60	28	nonce\$2 with (compar\$3 or modification or modif\$3) and public same encrypt\$3 and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/22 14:09
S61	1095	nonce\$2 or random adj number\$2 with (compar\$3 or modification or modif\$3) and session and encrypt\$3 with (nonce\$2 or random adj number\$2) and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/22 14:11
S62	1052	nonce\$2 or random adj number\$2 with (compar\$3 or modification or modif\$3) and session with encrypt\$3 with (nonce\$2 or random adj number\$2) and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/22 14:11
S63	325	S62 and session adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/22 14:12
S64	186	S63 and session adj key same public	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/22 14:12

EAST Search History

S65	81	S64 and ("713"/\$.ccls. or "380"/\$.ccls)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/22 14:19
S66	33	S65 and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/22 14:19
S67	24	encrypt\$3 near3 (nonce or number) with public adj key\$2 with session and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:12
S68	44	encrypted adj key adj exchange and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:30
S69	0	what adj you adj have and "5953424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:31
S70	2	"5953424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:31
S71	0	S70 and you adj have	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:32
S73	287	encrypt\$3 with session adj key with public adj key and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 15:20

EAST Search History

S74	9	encrypt\$3 with both with session adj key with public adj key and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 15:23
S75	0	encrypt\$3 with session adj key near2 public adj key and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 15:23
S76	0	encrypt\$3 with session adj key near3 public adj key and @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 15:23